

Natural Resource Guide



From Our Quarries



We Have You Covered!

**Architectural Accents, Walls,
Steps, Erosion Control, or
Your Favorite Backyard Oasis**

www.ohiostone.net



To Your Home





“Select” Natural Wall Stone



Canyon Gray Select Wall Stone

Thick 3”

3.5”-4” thick #51150

BULK ONLY

(Pictured at left)

#51150

Min. bed depth 5” for all wall stone



**Rustic Buff
Select Thick 3” Wall Stone**
31150



Canyon Gray Wall Stone



**Southern Buff
Select 3” Wall Stone**
Natural Wall Stone # 41103



Southern Buff Wall Stone used in retaining wall

2” thick = 16-18 Square face feet per ton @ 12” high
3” thick = 14-16 Square face feet per ton @ 12” high
4” thick = 12- 14 Square face feet per ton @ 12” high
5” thick = 29 - 31 linear footage per ton @ 1 course high

Lil Chunkies:

6” thick 10- 12 square face feet per ton @ 12” high
7” thick = 16 - 18 linear footage per ton @ 1course

Square face feet = Length x Height @ 12” high

2 Linear footage = Length @ 1 course high

Split/Cut Dry Wall Stone



Southern Buff
4" x 8" Cut Wall Stone
41204



Rustic Buff Beige
5" x 8" Cut Wall Stone
31209



Southern Buff 4" x 8" Cut Wall Stone



Rustic Buff
5" x 8" Cut Wall Stone
31205



Rustic Buff 5" x 8" Cut Wall used in retaining wall

Cutwall (split) Wall Stone

- 3" thick x 8" depth = 19-21 square face feet per ton
- 4" thick x 8" depth = 19-21 square face feet per ton
- 5" thick x 8" depth = 34 -38 linear feet per ton
- 6" thick x 8" depth = 17-19 square face feet per ton
or 34-38 linear footage per ton
- 6" thick x 12" depth = 10-12 square face feet per ton
or 20-22 linear footage per ton

Square face feet = Length x Height @ 12" high
Linear footage = Length @ 1 course high



Pathway & Patio Stone



**Rustic Buff
Reg. Large Flagging**
32113



**Rustic Buff
Jumbo Flagging
Single Stack** # 32114



**Southern Buff
Jumbo Flagging
Double Stack**
#42114



Southern & Rustic Buff Flagging



**Southern Buff
Reg. Large Flagging**
42113

Patio Stone Coverage

Steppers	= 1-2" thick	@ 90 – 110 square feet per ton
Small Flagging	= 2- 3" thick	@ 70 – 80 square feet per ton
Large Flagging	= 2-3" thick	@ 70 – 80 square feet per ton
Large Flagging	= 3- 4" thick	@ 55 – 70 square feet per ton
Jumbo Flagging	= 3.5- 4.5" thick	@ 45 – 55 square feet per ton

Coverage may vary depending on field conditions, depending on tightness of joints

4 Square feet = Length x Width



Canyon Gray Flagging

Veneer/Building Stone

Visit us at
ohiostone.net
for more information
f /ohiostoneinc



**Canyon
Gray**
51240



**Indiana
Limestone**
101221



**Rustic
Buff**
31240



**Southern
Buff**
41240



Canyon Gray Veneer



**Rustic Buff
Web Wall** # 31110



Canyon Gray "Bulk"
Split Veneer-Rubble Building Stone
51240

Veneer/Building Stone

Split Veneer/ Rubble = 2.5" – 7" thick x 4.5" depth + or - (split) 35 – 45 square feet per ton

Web Wall = 50 – 65 square feet per ton

Split Rubble & Natural building stone is installed like wall stone with mortar joints

Web Wall is installed like Patio Stone with mortar joints

Square feet = Length x Width



Southern Buff Veneer



Natural Steps 4"-8" Thick



**Canyon Gray
Mini Steps 2' - 3'**
52101



**Canyon Gray
Jumbo Steps 5' - 6'**
52104




**Rustic Buff
Natural Steps**
3' -4'
32102



**Southern Buff
Natural Steps**
3' -4'
42102

*Rustic Buff
Natural
4" Landings
and Steps*



Natural & Snapped Step / Treads

Take height of incline in inches divided by thickness of step / tread to get correct number of step treads needed for specific job; note that less incline (% of slope) requires deeper bed depth for step treads.

Example: A slope (hill) which is 72 inches high (6 feet) would require 12 pieces of 6" step/ treads
(72 inches divided by 6 inches = 12 pieces)
Coverage may vary depending on field conditions & depth of stone used



Southern Buff 6"- 8" Slabs

Pier Caps, Wall Caps, Snapped/Split Steps & Patterned Flagging



Indiana Limestone 1.5" Thick Patterned Flagging


Available in 15 Sizes #101220

12" x 12"	12" x 42"	24" x 24"
12" x 18"	18" x 18"	24" x 30"
12" x 24"	18" x 24"	24" x 36"
12" x 30"	18" x 30"	24" x 48"
12" x 36"	18" x 36"	36" x 36"



Indiana Limestone Rock Faced 2" Pier Caps

24" x 24" #101232
26" x 26" #101233
28" x 28" #101234
30" x 30" #101235
32" x 32" #101236
36" x 36" #101237



Indiana Limestone 6" Snapped Steps 3 Stock Sizes

36" x 16" #102213
48" x 16" #102214
60" x 16" #102215



Indiana Limestone Pier Caps, Cut Wall, & Patterned Flagging



Thin Outcroppings/Slabs



Rustic Buff
5" - 6" Slabs
33106



Canyon Gray
6" - 8.5" Slabs
53106



Rustic Buff
7" - 8" Lil' Chunkies
33130



Rustic Buff Beige
6" - 8.5" Outcroppings
33156



Southern Buff
8.5" - 9.5" Outcroppings
43108

Lil' Chunkies

6" thick 10- 12 square face feet per ton @ 12" high

7" thick = 16 - 18 linear footage per ton @ 1course

Outcroppings

4- 6" thick = 12 - 18 linear footage per ton

6- 8.5" thick = 10 - 15 linear footage per ton

8.5 - 9.5" thick = 7.5 - 12 linear footage per ton

9.5 - 10.5" thick = 6 - 10 linear footage per ton

10.5 - 12" thick = 4.5- 8 linear footage per ton

Outcroppings are smaller bed depth than slabs typically used for low retaining walls or accent landscapes.

Slabs are larger pieces of outcroppings typically used for Step/Treads or extremely high retaining walls face footage will be approximately ½ of above info

8 *Linear footage = Length @ 1 course high*



Rustic Buff Beige Outcroppings with Rustic Buff Chunks

Thick Outcroppings/Slabs



Canyon Gray
10.5" - 12" Slabs
53110



Southern Buff
11" - 12" Outcroppings
43110



Canyon Gray 7" - 10" & 20" Outcroppings/Slabs



Rustic Buff Beige
8.5"- 9.5" Outcroppings
33158



Rustic Buff Beige Outcroppings & Jumbo Natural Steps



Rustic Buff
9"-10" Slabs/Outcroppings
33109



Benches and Chunks Stream Restoration, and



Rustic Buff
14"- 18" Benches
33140



Southern Buff
12" Chunks
43131



Rustic Buff
14" - 18" Chunks
33131

Benches & Chunks

12 – 14" thick = 5 – 6 linear footage per ton
14 – 16" thick = 4 – 5 linear footage per ton
18 – 20" thick = 3 – 4 linear footage per ton
25" thick = 2 – 3 linear footage per ton

*Linear footage (LF) =
Length @ 1 course high*



Southern Buff Chunks



Rustic Buff Benches & Chunks

used for Landscaping, Erosion Control

Visit us at
ohiostone.net
for more information
[f/ohiostoneinc](https://www.facebook.com/ohiostoneinc)



Southern Buff
16" or 25"
Chunks

43172 for 16"
43173 for 25"



Canyon Gray
14" - 15" Chunks

53131



Canyon Tan
Accent Boulders
66101



Rustic Buff
10" - 18" Accent Chunks

33133



Canyon Tan
16" & 25" Chunks

16" Chunks 25" Chunks
63131 # 63133



Southern Buff Beige Chunks



*Canyon Tan Accent Boulders &
Chunks*



Canyon Tan 25" Chunks



Aggregates & Edging

Southern Buff Edging

4" x 8"

5" x 5"

6" x 5"

10" - 20" Lengths

41230



Bulk Cobbles

3" - 8" #04102

6" - 15" #04103



Edging Planning Guide

3" = 95-100 Linear Footage Per Ton

4" = 85-90 Linear Footage Per Ton

5" = 70-75 Linear Footage Per Ton

6" = 55-60 Linear Footage Per Ton

Linear footage = Length @ 1 course high

Canyon Tan Decorative Aggregates

Available in 6 sizes

(Available bulk or bagged)

Extra Small # 55101

1/16" - 3/16" diameter

Small # 55102

1/8" - 3/8" diameter

(Shown at bottom)

Medium # 55103

3/16" - 1" diameter

Large # 55104

3/4" - 1.5" diameter

Extra Large # 55105

4" - 7" diameter

Jumbo # 55106

5" - 12" diameter



Rustic Buff Decorative Stackable Rip Rap (Available bulk or bagged)



8" - 20" Stackable Rip Rap

31162

4" - 10" Stackable Rip Rap

31161

16" - 32" Stackable Rip Rap

31163

YOUR AUTHORIZED OHIO STONE DEALER

